




## INSTRUCTIONS



## ACC-LVA-Q





ACC-LVA-Q





### TOOLS REQUIRED





## PRE-INSTALL CHECK




## PRE-INSTALL CLEAN



1



2




## LED INDICATIONS



## BOOT SEQUENCE



**24v**



**36v**



**48v**



**72v\***



**80v**



\* Please note an LVA for a 72v battery can only be ordered via direct enquiry.

# LOW VOLTAGE ALERT™

PROTECTING YOUR BATTERIES AGAINST PROLONGED OVER-DISCHARGE



**FOR PRODUCT SPECIFICATIONS, USER GUIDES AND FURTHER INFORMATION PLEASE VISIT:**

[HTTPS://WWW.PHLSCI.COM/PRODUCT-LINES/BATTERY-ALERTS/LOW-VOLTAGE-ALERT/](https://www.phlsci.com/product-lines/battery-alerts/low-voltage-alert/)

DOC00450 © 2021 Philadelphia Scientific LLC. All Rights Reserved. Philadelphia Scientific and the PS logo are registered trademarks of Philadelphia Scientific. Low Voltage Alert and LVA are trademarks of Philadelphia Scientific (U.K) Limited. E&O.E



**WWW.PHLSCI.COM**

Philadelphia Scientific LLC  
P: +1 (215) 616 0390  
E: [info@phlsci.com](mailto:info@phlsci.com)

Philadelphia Scientific EMEA  
P: +44 (0) 1204 467777  
E: [info@ps-europe.net](mailto:info@ps-europe.net)

Philadelphia Scientific ASIA PACIFIC  
P: +61 (2) 8004 2447  
E: [info@phlsci.com.au](mailto:info@phlsci.com.au)

