




INSTRUCTIONS



ACC-LVA-Q/QE





ACC-LVA-Q





TOOLS REQUIRED





PRE-INSTALL CHECK




PRE-INSTALL CLEAN



1



2




LED INDICATIONS



BOOT SEQUENCE



24v



36v



48v



72v*



80v



* Please note an LVA for a 72v battery can only be ordered via direct enquiry.

LOW VOLTAGE ALERT™

PROTECTING YOUR BATTERIES AGAINST PROLONGED OVER-DISCHARGE



FOR PRODUCT SPECIFICATIONS, USER GUIDES AND FURTHER INFORMATION PLEASE VISIT:

[HTTPS://WWW.PHLSCI.COM/PRODUCT-LINES/BATTERY-ALERTS/LOW-VOLTAGE-ALERT/](https://www.phlsci.com/product-lines/battery-alerts/low-voltage-alert/)

DOC00450 © 2021 Philadelphia Scientific LLC. All Rights Reserved. Philadelphia Scientific and the PS logo are registered trademarks of Philadelphia Scientific. Low Voltage Alert and LVA are trademarks of Philadelphia Scientific (U.K) Limited. E&O.E



WWW.PHLSCI.COM

Philadelphia Scientific LLC
P: +1 (215) 616 0390
E: info@phlsci.com

Philadelphia Scientific EMEA
P: +44 (0) 1204 467777
E: info@ps-europe.net

Philadelphia Scientific ASIA PACIFIC
P: +61 (2) 8004 2447
E: info@phlsci.com.au

